

Appendix 2-D**GENERAL VPDES PERMIT FOR DISCHARGES OF
STORMWATER FROM SMALL MUNICIPAL
SEPARATE STORM SEWER SYSTEMS**

[NOTE: The most up-to-date version of the regulation can always be found on the Virginia General Assembly's Legislative Information System website at:

<http://leg1.state.va.us/000/lst/LS935156.HTM>]

Framework

9VAC25-890.1	Definitions	2-C-2
9VAC25-890-10	Purpose; delegation of authority; effective date of the state permit	2-C-2
9VAC25-890-15	Applicability of incorporated references based on the dates that they became effective	2-C-2
9VAC25-890-20	Authorization to discharge	2-C-2
9VAC25-890-30	State permit application (registration statement)	2-C-3
9VAC25-890-40	General permit	2-C-5
SECTION I	Discharge authorization and special conditions	2-C-7
SECTION II	Municipal Separate Storm Sewer System Management Program	2-C-15
SECTION III	Conditions applicable to all state permits	2-C-29
9VAC25-890-50	Delegation of authority	2-C-35
9VAC25-890-9998	FORMS (9VAC25-890)	2-C-35

STATE WATER CONTROL BOARD

General VPDES Permit for Discharges of Stormwater from
Small Municipal Separate Storm Sewer Systems

CHAPTER 890

9VAC25-890-1. Definitions.

The words and terms used in this chapter shall have the meanings defined in the Virginia Stormwater Management Act (Article 2.3 (§ 62.1-44.15:24 et seq.) of Chapter 3.1 of Title 62.1 of the Code of Virginia), this chapter, and 9VAC25-870 unless the context clearly indicates otherwise, except that for the purposes of this chapter:

"Date brought on line" means the date when the operator determines that a new stormwater management facility is properly functioning to meet its designed pollutant load reduction.

"MS4 Program Plan" means the completed registration statement and all approved additions, changes and modifications detailing the comprehensive program implemented by the operator under this state permit to reduce the pollutants in the stormwater discharged from its municipal separate storm sewer system (MS4) that has been submitted and accepted by the department.

"Operator" means the MS4 operator that has been issued coverage under the General Permit for Discharges of Stormwater from small municipal separate storm sewer systems.

"Physically interconnected" means that one MS4 is connected to a second MS4 in such a manner that it allows for direct discharges to the second system.

9VAC25-890-10. Purpose; delegation of authority; effective date of the state permit.

A. This general permit regulation governs stormwater discharges from regulated small municipal separate storm sewer systems (small MS4s) to surface waters of the Commonwealth of Virginia.

B. This general permit will become effective on July 1, 2013, and will expire five years from the effective date.

9VAC25-890-15. Applicability of incorporated references based on the dates that they became effective.

Except as noted, when a regulation of the United States set forth in the Code of Federal Regulations is referenced and incorporated herein, that regulation shall be as it exists and has been published in the July 1, 2012, update.

9VAC25-890-20. Authorization to discharge.

A. Any operator covered by this general permit is authorized to discharge stormwater from the small MS4 to surface waters of the Commonwealth of Virginia provided that the operator submits a complete and accurate registration statement in accordance with 9VAC25-890-30 that is accepted by the board, submits any fees required by 9VAC25-870-700 et seq. (Part XIII), and complies with the requirements of 9VAC25-890-40.

B. The operator is not authorized by this general permit to discharge to surface waters specifically named in other board regulations that prohibit such discharges.

C. Nonstormwater discharges or flows into the small MS4 are authorized by this state permit and do not need to be addressed in the MS4 Program required under 9VAC25-890-40, Section II B 3, if:

1. The nonstormwater discharges or flows are covered by a separate individual or general VPDES or state permit for nonstormwater discharges;

2. The individual nonstormwater discharges or flows have been identified in writing by the department as de minimis discharges that are not significant sources of pollutants to surface waters and do not require a separate VPDES permit;
3. The nonstormwater discharges or flows are identified at 9VAC25-870-400 D 2 c (3) and have not been identified by the operator or by the board as significant contributors of pollutants to the small MS4; or
4. The discharge of materials resulting from a spill is necessary to prevent loss of life, personal injury, or severe property damage. The operator shall take, or ensure that the responsible party takes, all reasonable steps to minimize or prevent any adverse effect on human health or the environment. This state permit does not transfer liability for a spill itself from the party(ies) responsible for the spill to the operator nor relieve the party(ies) responsible for a spill from the reporting requirements of 40 CFR Part 117 and 40 CFR Part 302.

D. In the event the operator is unable to meet certain conditions of this permit due to circumstances beyond the operator's control, the operator shall submit a written explanation of the circumstances that prevented state permit compliance to the department in the annual report. Circumstances beyond the control of the operator include but are not limited to abnormal climatic conditions; weather conditions that make certain requirements unsafe or impracticable; or unavoidable equipment failures caused by weather conditions or other conditions beyond the reasonable control of the operator (operator error is not a condition beyond the control of the operator). The failure to provide adequate program funding, staffing or equipment maintenance shall not be an acceptable explanation for failure to meet state permit conditions. The board will determine, at its sole discretion, whether the reported information will result in an enforcement action.

E. Discharges that are excluded from obtaining a state permit pursuant to 9VAC25-870-300 are exempted from the regulatory requirements of this state permit.

F. Pursuant to 9VAC25-870-400 D 3, for those portions of a small MS4 that are covered under a separate VPDES permit for industrial stormwater discharges, the operator shall follow the conditions established under the separate VPDES permit. Upon termination of separate VPDES permit coverage, discharges from previously separate VPDES authorized outfalls shall meet the conditions of this state permit provided it has been determined by the board that an individual MS4 permit is not required.

G. Stormwater discharges from specific MS4 operator activities that have been granted conditional exclusion for "no exposure" of industrial activities and materials to stormwater under the separate VPDES permitting program shall comply with this state permit unless a separate VPDES permit is obtained. The department is responsible for determining compliance with the conditional exclusion under the State Water Control Law and attendant regulations.

H. Receipt of this general permit does not relieve any operator of the responsibility to comply with any other applicable federal, state or local statute, ordinance or regulation.

I. Continuation of permit coverage. Any operator that was authorized to discharge under the state permit issued in 2008 and that submits a complete registration statement in accordance with Section III M of 9VAC25-890-40 is authorized to continue to discharge under the terms of the 2008 state permit until such time as the board either:

1. Issues coverage to the operator under this state permit; or
2. Notifies the operator that the discharge is not eligible for coverage under this state permit.

9VAC25-890-30. State permit application (registration statement).

A. Deadline for submitting a registration statement.

1. Operators of small MS4s designated under 9VAC25-870-400 B, that are applying for coverage under this general permit must submit a complete registration statement to the department within 180 days of notice of designation, unless the board grants a later date.
2. In order to continue uninterrupted coverage under the general permit, operators of small MS4s shall submit a new registration statement at least 90 days before the expiration date of the existing state

permit, unless permission for a later date has been granted by the board. The board shall not grant permission for registration statements to be submitted later than the expiration date of the existing state permit.

B. Registration statement.

The registration statement shall include the following information:

1. The name and location (county or city name) of the small MS4 for which the registration statement is submitted;
2. The name, type (city, county, incorporated town, unincorporated town, college or university, local school board, military installation, transportation system, federal or state facility, or other), and address of the operator of the small MS4;
3. The Hydrologic Unit Code(s) as identified in the most recent version of Virginia's 6th Order National Watershed Boundary Dataset (available on the department website) currently receiving discharges or that have potential to receive discharges from the small MS4;
4. The estimated drainage area, in acres, served by the small MS4 directly discharging to any impaired receiving surface waters listed in the 2010 Virginia 305(b)/303(d) Water Quality Assessment Integrated Report, and a description of the land use for each such drainage area;
5. A listing of any TMDL wasteloads allocated to the small MS4. This information may be found on the department website;
6. The name(s) of any physically interconnected MS4s to which the small MS4 discharges;
7. For operators that had coverage under the previous VSMP General Permit, a copy of the currently implemented MS4 Program Plan. The operator shall continue to implement this plan and any updates as required by this state permit in accordance with Table 1 in 9VAC25-890-40.
8. For operators applying for initial coverage designated under 9VAC25-890-10 A, a schedule of development of an MS4 Program Plan that includes the following:
 - a. A list of best management practices (BMPs) that the operator proposes to implement for each of the stormwater minimum control measures and their associated measurable goals pursuant to 9VAC25-890-40, Section II B, that includes:
 - (1) A list of the existing policies, ordinances, schedules, inspection forms, written procedures, and any other documents necessary for best management practice implementation, upon which the operator expects to rely for such implementation; and
 - (2) The individuals, departments, divisions, or units responsible for implementing the best management practices;
 - b. The objective and expected results of each best management practice in meeting the measurable goals of the stormwater minimum control measures;
 - c. The implementation schedule for BMPs including any interim milestones for the implementation of a proposed new best management practice; and
 - d. The method that will be utilized to determine the effectiveness of each best management practice and the MS4 Program as a whole;
9. A list of all existing signed agreements between the operator and any applicable third parties where the operator has entered into an agreement in order to implement minimum control measures or portions of minimum control measures;
10. The name, address, telephone number and email address of either the principal executive officer or ranking elected official as defined in 9VAC25-870-370;
11. The name, position title, address, telephone number and email address of any duly authorized representative as defined in 9VAC25-870-370; and
12. The following certification: "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and

complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

C. The registration statement shall be signed in accordance with 9VAC25-870-370.

D. An operator may file its own registration statement, or the operator and other operators of small MS4s may jointly submit a registration statement. If responsibilities for meeting the stormwater minimum control measures will be shared with other municipalities or governmental entities, the registration statement must describe which stormwater minimum control measures the operator will implement and identify the entities that will implement the other stormwater minimum control measures within the area served by the small MS4.

E. Where to submit. The registration statement shall be submitted to the department.

9VAC25-890-40. General permit.

Any operator whose registration statement is accepted by the department will receive coverage under the following state permit and shall comply with the requirements therein and be subject to all applicable requirements of the Virginia Stormwater Management Act (Article 2.3 (§ 62.1-44.15:24 et seq.) of Chapter 3.1 of Title 62.1 of the Code of Virginia) and the Virginia Stormwater Management Program (VSMP) Regulations (9VAC25-870).

General Permit No.: VAR04
Effective Date: July 1, 2013
Expiration Date: June 30, 2018

GENERAL VPDES PERMIT FOR DISCHARGES OF STORMWATER FROM SMALL MUNICIPAL SEPARATE STORM SEWER SYSTEMS AUTHORIZATION TO DISCHARGE UNDER THE VIRGINIA STORMWATER MANAGEMENT PROGRAM AND THE VIRGINIA STORMWATER MANAGEMENT ACT

In compliance with the provisions of the Clean Water Act, as amended and pursuant to the Virginia Stormwater Management Act and regulations adopted pursuant thereto, this state permit authorizes operators of small municipal separate storm sewer systems to discharge to surface waters within the boundaries of the Commonwealth of Virginia, except those waters specifically named in State Water Control Board regulations which prohibit such discharges.

The authorized discharge shall be in accordance with this cover page, Section I—Discharge Authorization and Special Conditions, Section II—MS4 Program and Section III—Conditions Applicable To All State Permits, as set forth herein. The operator shall utilize all legal authority provided by the laws and regulations of the Commonwealth of Virginia to control discharges to and from the MS4. This legal authority may be a combination of statute, ordinance, permit, specific contract language, order or interjurisdictional agreements.

For operators of small MS4s that are applying for initial coverage under this general permit, the schedule to develop and implement the MS4 Program Plan shall be submitted with the completed registration statement.

For operators that have previously held MS4 state permit coverage, the operator shall update the MS4 Program Plan in accordance with the following schedule. Until such time as the required updates are completed and implemented, the operator shall continue to implement the MS4 Program consistent with the MS4 Program Plan submitted with the registration statement.

Table 1: Schedule of MS4 Program Plan Updates Required in this Permit		
Program Update Requirement	Permit Reference	Update Completed By
Public Education Outreach Plan (Minimum Control Measure 1 – Public Education and Outreach on Stormwater Impacts)	Section II B 1	12 months after permit coverage
Illicit Discharge Procedures - (Minimum Control Measure 3 – Illicit Discharge Detection and Elimination)	Section II B 3	
Individual Residential Lot Special Criteria (Minimum Control Measure 5 – Post-Construction Stormwater Management in New Development and Development on Prior Developed Lands)	Section II B 5 c (1) (d)	
Operator-Owned Stormwater Management Inspection Procedures (Minimum Control Measure 5 – Post-Construction Stormwater Management in New Development and Development on Prior Developed Lands)	Section II B 5	
Identification of Locations Requiring SWPPPs (Minimum Control Measure 6 – Pollution Prevention/Good Housekeeping for Municipal Operations)	Section II B 6 b	
Nutrient Management Plan (NMP) Locations - (Minimum Control Measure 6 – Pollution Prevention/Good Housekeeping for Municipal Operations)	Section II B 6 c (1) (a)	
Training Schedule and Program - (Minimum Control Measure 6 – Pollution Prevention/Good Housekeeping for Municipal Operations)	Section II B 6	
Updated TMDL Action Plans (TMDLs approved before July of 2008) – (Special Conditions for Approved Total Maximum Daily Loads (TMDL) Other Than Chesapeake Bay)	Section I B	24 months after permit coverage
Chesapeake Bay TMDL Action Plan – (Special Condition for Chesapeake Bay TMDL)	Section I C	
Stormwater Management Progressive Compliance and Enforcement – (Minimum Control Measure 4 - Construction Site Stormwater Runoff Control)	Section II B 5	
Daily Good Housekeeping Procedures (Minimum Control Measure 6 – Pollution Prevention/Good Housekeeping for Municipal Operations)	Section II B 6 a	
Other TMDL Action Plans for applicable TMDLs approved between July 2008 and June 2013 - (Special Conditions for Approved Total Maximum Daily Loads (TMDL) Other Than Chesapeake Bay)	Section I B	36 months after permit coverage

Outfall Map Completed - (Minimum Control Measure 3 – Illicit Discharge Detection and Elimination) – Applicable to new boundaries identified as "urbanized" areas in the 2010 Decennial Census	Section II B 3 a (3)	48 months after permit coverage
SWPPP Implementation - (Minimum Control Measure 6 – Pollution Prevention/Good Housekeeping for Municipal Operations)	Section II B 6 b (3)	
NMP Implementation - (Minimum Control Measure 6 – Pollution Prevention/Good Housekeeping for Municipal Operations)	Section II B 6 c (1) (b)	60 months after permit coverage
*Updates should be submitted with the appropriate annual report.		

SECTION I DISCHARGE AUTHORIZATION AND SPECIAL CONDITIONS

A. Coverage under this state permit. During the period beginning with the date of coverage under this general permit and lasting until the expiration and reissuance of this state permit, the operator is authorized to discharge in accordance with this state permit from the small municipal separate storm sewer system identified in the registration statement into surface waters within the boundaries of the Commonwealth of Virginia and consistent with 9VAC25-890-30.

B. Special conditions for approved total maximum daily loads (TMDL) other than the Chesapeake Bay TMDL. An approved TMDL may allocate an applicable wasteload to a small MS4 that identifies a pollutant or pollutants for which additional stormwater controls are necessary for the surface waters to meet water quality standards. The MS4 operator shall address the pollutants in accordance with this special condition where the MS4 has been allocated a wasteload in an approved TMDL.

1. The operator shall maintain an updated MS4 Program Plan that includes a specific TMDL Action Plan for pollutants allocated to the MS4 in approved TMDLs. TMDL Action Plans may be implemented in multiple phases over more than one state permit cycle using the adaptive iterative approach provided adequate progress to reduce the pollutant discharge in a manner consistent with the assumptions and requirements of the specific TMDL wasteload is demonstrated in accordance with subdivision 2 e of this subsection. These TMDL Actions Plans shall identify the best management practices and other interim milestone activities to be implemented during the remaining terms of this state permit.

a. In accordance with Table 1, the operator shall update the MS4 Program Plans to address any new or modified requirements established under this special condition for pollutants identified in TMDL wasteload allocations approved prior to July 9, 2008.

b. In accordance with Table 1, the operator shall update the MS4 Program Plan to incorporate approvable TMDL Action Plans that identify the best management practices and other interim milestone activities that will be implemented during the remaining term of this permit for pollutants identified in TMDL wasteload allocations approved either on or after July 9, 2008, and prior to issuance of this permit.

c. Unless specifically denied in writing by the department, TMDL Action Plans and updates developed in accordance with this section become effective and enforceable 90 days after the date received by the department.

2. The operator shall:

a. Develop and maintain a list of its legal authorities such as ordinances, state and other permits, orders, specific contract language, and interjurisdictional agreements applicable to reducing the pollutant identified in each applicable WLA;

- b. Identify and maintain an updated list of all additional management practices, control techniques and system design and engineering methods, beyond those identified in Section II B, that have been implemented as part of the MS4 Program Plan that are applicable to reducing the pollutant identified in the WLA;
 - c. Enhance its public education and outreach and employee training programs to also promote methods to eliminate and reduce discharges of the pollutants identified in the WLA;
 - d. Assess all significant sources of pollutant(s) from facilities of concern owned or operated by the MS4 operator that are not covered under a separate VPDES permit and identify all municipal facilities that may be a significant source of the identified pollutant. For the purposes of this assessment, a significant source of pollutant(s) from a facility of concern means a discharge where the expected pollutant loading is greater than the average pollutant loading for the land use identified in the TMDL. (For example, a significant source of pollutant from a facility of concern for a bacteria TMDL would be expected to be greater at a dog park than at other recreational facilities where dogs are prohibited);
 - e. Develop and implement a method to assess TMDL Action Plans for their effectiveness in reducing the pollutants identified in the WLAs. The evaluation shall use any newly available information, representative and adequate water quality monitoring results, or modeling tools to estimate pollutant reductions for the pollutant or pollutants of concern from implementation of the MS4 Program Plan. Monitoring may include BMP, outfall, or in-stream monitoring, as appropriate, to estimate pollutant reductions. The operator may conduct monitoring, utilize existing data, establish partnerships, or collaborate with other MS4 operators or other third parties, as appropriate. This evaluation shall include assessment of the facilities identified in subdivision 2 d of this subsection. The methodology used for assessment shall be described in the TMDL Action Plan.
3. Analytical methods for any monitoring shall be conducted according to procedures approved under 40 CFR Part 136 or alternative methods approved by the Environmental Protection Agency (EPA). Where an approved method does not exist, the operator must use a method consistent with the TMDL.
 4. The operator is encouraged to participate as a stakeholder in the development of any TMDL implementation plans applicable to their discharge. The operator may incorporate applicable best management practices identified in the TMDL implementation plan in the MS4 Program Plan or may choose to implement BMPs of equivalent design and efficiency provided that the rationale for any substituted BMP is provided and the substituted BMP is consistent with the assumptions and requirements of the TMDL WLA.
 5. Annual reporting requirements.
 - a. The operator shall submit the required TMDL Action Plans with the appropriate annual report and in accordance with the associated schedule identified in this state permit.
 - b. On an annual basis, the operator shall report on the implementation of the TMDL Action Plans and associated evaluation including the results of any monitoring conducted as part of the evaluation.
 6. The operator shall identify the best management practices and other steps that will be implemented during the next state permit term as part of the operator's reapplication for coverage as required under Section III M.
 7. For planning purposes, the operator shall include an estimated end date for achieving the applicable wasteload allocations as part of its reapplication package due in accordance with Section III M.
- C. Special condition for the Chesapeake Bay TMDL. The Commonwealth in its Phase I and Phase II Chesapeake Bay TMDL Watershed Implementation Plans (WIP) committed to a phased approach for MS4s, affording MS4 operators up to three full five-year permit cycles to implement necessary reductions. This permit is consistent with the Chesapeake Bay TMDL and the Virginia Phase I and II WIPs to meet the Level 2 (L2) scoping run for existing developed lands as it represents an

implementation of 5.0% of L2 as specified in the 2010 Phase I WIP. Conditions of future permits will be consistent with the TMDL or WIP conditions in place at the time of permit issuance.

1. Definitions. The following definitions apply to this state permit for the purpose of the special condition for discharges in the Chesapeake Bay Watershed:

"Existing sources" means pervious and impervious urban land uses served by the MS4 as of June 30, 2009.

"New sources" means pervious and impervious urban land uses served by the MS4 developed or redeveloped on or after July 1, 2009.

"Pollutants of concern" or "POC" means total nitrogen, total phosphorus, and total suspended solids.

"Transitional sources" means regulated land disturbing activities that are temporary in nature and discharge through the MS4.

2. Chesapeake Bay TMDL planning.

a. In accordance with Table 1, the operator shall develop and submit to the department for its review and acceptance an approvable Chesapeake Bay TMDL Action Plan. Unless specifically denied in writing by the department, this plan becomes effective and enforceable 90 days after the date received by the department. The plan shall include:

(1) A review of the current MS4 program implemented as a requirement of this state permit including a review of the existing legal authorities and the operator's ability to ensure compliance with this special condition;

(2) The identification of any new or modified legal authorities such as ordinances, state and other permits, orders, specific contract language, and interjurisdictional agreements implemented or needing to be implemented to meet the requirements of this special condition;

(3) The means and methods that will be utilized to address discharges into the MS4 from new sources;

(4) An estimate of the annual POC loads discharged from the existing sources as of June 30, 2009, based on the 2009 progress run. The operator shall utilize the applicable versions of Tables 2 a-d in this section based on the river basin to which the MS4 discharges by multiplying the total existing acres served by the MS4 on June 30, 2009, and the 2009 Edge of Stream (EOS) loading rate:

Subsource	Pollutant	Total Existing Acres Served by MS4 (6/30/09)	2009 EOS Loading Rate (lbs/acre)	Estimated Total POC Load Based on 2009 Progress Run
Regulated Urban Impervious	Nitrogen		9.39	
Regulated Urban Pervious			6.99	
Regulated Urban Impervious	Phosphorus		1.76	
Regulated Urban Pervious			0.5	
Regulated Urban Impervious	Total Suspended		676.94	

Regulated Urban Pervious	Solids		101.08	
-----------------------------	--------	--	--------	--

Table 2 b: Calculation Sheet for Estimating Existing Source Loads for the Potomac River Basin
*Based on Chesapeake Bay Program Watershed Model Phase 5.3.2

Subsource	Pollutant	Total Existing Acres Served by MS4 (6/30/09)	2009 EOS Loading Rate (lbs/acre)	Estimated Total POC Load Based on 2009 Progress Run
Regulated Urban Impervious	Nitrogen		16.86	
Regulated Urban Pervious			10.07	
Regulated Urban Impervious	Phosphorus		1.62	
Regulated Urban Pervious			0.41	
Regulated Urban Impervious	Total Suspended Solids		1,171.32	
Regulated Urban Pervious			175.8	

Table 2 c: Calculation Sheet for Estimating Existing Source Loads for the Rappahannock River Basin
*Based on Chesapeake Bay Program Watershed Model Phase 5.3.2

Subsource	Pollutant	Total Existing Acres Served by MS4 (6/30/09)	2009 EOS Loading Rate (lbs/acre)	Estimated Total POC Load Based on 2009 Progress Run
Regulated Urban Impervious	Nitrogen		9.38	
Regulated Urban Pervious			5.34	
Regulated Urban Impervious	Phosphorus		1.41	
Regulated Urban Pervious			0.38	
Regulated Urban Impervious	Total Suspended Solids		423.97	
Regulated Urban Pervious			56.01	

Table 2 d: Calculation Sheet for Estimating Existing Source Loads for the York River Basin *Based on Chesapeake Bay Program Watershed Model Phase 5.3.2				
Subsource	Pollutant	Total Existing Acres Served by MS4 (6/30/09)	2009 EOS Loading Rate (lbs/acre)	Estimated Total POC Load Based on 2009 Progress Run
Regulated Urban Impervious	Nitrogen		7.31	
Regulated Urban Pervious			7.65	
Regulated Urban Impervious	Phosphorus		1.51	
Regulated Urban Pervious			0.51	
Regulated Urban Impervious	Total Suspended Solids		456.68	
Regulated Urban Pervious			72.78	

(5) A determination of the total pollutant load reductions necessary to reduce the annual POC loads from existing sources utilizing the applicable versions of Tables 3 a-d in this section based on the river basin to which the MS4 discharges. This shall be calculated by multiplying the total existing acres served by the MS4 by the first permit cycle required reduction in loading rate. For the purposes of this determination, the operator shall utilize those existing acres identified by the 2000 U.S. Census Bureau urbanized area and served by the MS4.

Table 3 a: Calculation Sheet for Determining Total POC Reductions Required During this Permit Cycle for the James River Basin *Based on Chesapeake Bay Program Watershed Model Phase 5.3.2				
Subsource	Pollutant	Total Existing Acres Served by MS4 (6/30/09)	First Permit Cycle Required Reduction in Loading Rate (lbs/acre)	Total Reduction Required First Permit Cycle (lbs)
Regulated Urban Impervious	Nitrogen		0.04	
Regulated Urban Pervious			0.02	
Regulated Urban Impervious	Phosphorus		0.01	
Regulated Urban Pervious			0.002	
Regulated Urban Impervious	Total Suspended Solids		6.67	
Regulated Urban Pervious			0.44	

Table 3 b: Calculation Sheet for Determining Total POC Reductions Required During this Permit Cycle for the Potomac River Basin				
*Based on Chesapeake Bay Program Watershed Model Phase 5.3.2				
Subsource	Pollutant	Total Existing Acres Served by MS4 (6/30/09)	First Permit Cycle Required Reduction in Loading Rate (lbs/acre)	Total Reduction Required First Permit Cycle (lbs)
Regulated Urban Impervious	Nitrogen		0.08	
Regulated Urban Pervious			0.03	
Regulated Urban Impervious	Phosphorus		0.01	
Regulated Urban Pervious			0.001	
Regulated Urban Impervious	Total Suspended Solids		11.71	
Regulated Urban Pervious			0.77	

Table 3 c: Calculation Sheet for Determining Total POC Reductions Required During this Permit Cycle for the Rappahannock River Basin				
*Based on Chesapeake Bay Program Watershed Model Phase 5.3.2				
Subsource	Pollutant	Total Existing Acres Served by MS4 (6/30/09)	First Permit Cycle Required Reduction in Loading Rate (lbs/acre)	Total Reduction Required First Permit Cycle (lbs)
Regulated Urban Impervious	Nitrogen		0.04	
Regulated Urban Pervious			0.02	
Regulated Urban Impervious	Phosphorus		0.01	
Regulated Urban Pervious			0.002	
Regulated Urban Impervious	Total Suspended Solids		4.24	
Regulated Urban Pervious			0.25	

Table 3 d: Calculation Sheet for Determining Total POC Reductions Required During this Permit Cycle for the York River Basin				
*Based on Chesapeake Bay Program Watershed Model Phase 5.3.2				
Subsource	Pollutant	Total Existing Acres Served by MS4 (6/30/09)	First Permit Cycle Required Reduction in Loading Rate (lbs/acre)	Total Reduction Required First Permit Cycle (lbs)
Regulated Urban Impervious	Nitrogen		0.03	
Regulated Urban Pervious			0.02	
Regulated Urban Impervious	Phosphorus		0.01	
Regulated Urban Pervious			0.002	
Regulated Urban Impervious	Total Suspended Solids		4.60	
Regulated Urban Pervious			0.32	

(6) The means and methods, such as management practices and retrofit programs that will be utilized to meet the required reductions included in subdivision 2 a (5) of this subsection, and a schedule to achieve those reductions. The schedule should include annual benchmarks to demonstrate the ongoing progress in meeting those reductions;

(7) The means and methods to offset the increased loads from new sources initiating construction between July 1, 2009, and June 30, 2014, that disturb one acre or greater as a result of the utilization of an average land cover condition greater than 16% impervious cover for the design of post-development stormwater management facilities. The operator shall utilize Table 4 to develop the equivalent pollutant load for nitrogen and total suspended solids. The operator shall offset 5.0% of the calculated increased load from these new sources during the permit cycle.

(8) The means and methods to offset the increased loads from projects as grandfathered in accordance with 9VAC25-870-48, that disturb one acre or greater that begin construction after July 1, 2014, where the project utilizes an average land cover condition greater than 16% impervious cover in the design of post-development stormwater management facilities. The operator shall utilize Table 4 to develop the equivalent pollutant load for nitrogen and total suspended solids.

(9) The operator shall address any modification to the TMDL or watershed implementation plan that occurs during the term of this state permit as part of its permit reapplication and not during the term of this state permit.

Ratio of Phosphorus to Other POCs (Based on All Land Uses 2009 Progress Run)	Phosphorus Loading Rate (lbs/acre)	Nitrogen Loading Rate (lbs/acre)	Total Suspended Solids Loading Rate (lbs/acre)
James River Basin	1.0	5.2	420.9
Potomac River Basin	1.0	6.9	469.2
Rappahannock River Basin	1.0	6.7	320.9
York River Basin	1.0	9.5	531.6

- (10) A list of future projects and associated acreage that qualify as grandfathered in accordance with 9VAC25-870-48;
- (11) An estimate of the expected costs to implement the requirements of this special condition during the state permit cycle; and
- (12) An opportunity for receipt and consideration of public comment regarding the draft Chesapeake Bay TMDL Action Plan.
- b. As part of development of the Chesapeake Bay TMDL Action Plan, the operator may consider:
- (1) Implementation of BMPs on unregulated lands provided any necessary baseline reduction is not included toward meeting the required reduction in this permit;
 - (2) Utilization of stream restoration projects, provided that the credit applied to the required POC load reduction is prorated based on the ratio of regulated urban acres to total drainage acres upstream of the restored area;
 - (3) Establishment of a memorandum of understanding (MOU) with other MS4 operators that discharge to the same or adjacent eight digit hydrologic unit within the same basin to implement BMPs collectively. The MOU shall include a mechanism for dividing the POC reductions created by BMP implementation between the cooperative MS4s;
 - (4) Utilization of any pollutant trading or offset program in accordance with §§ 62.1-44.19:20 through 62.1-44.19:23 of the Code of Virginia, governing trading and offsetting;
 - (5) A more stringent average land cover condition based on less than 16% impervious cover for new sources initiating construction between July 1, 2009, and June 30, 2014, and all grandfathered projects where allowed by law; and
 - (6) Any BMPs installed after June 30, 2009, as part of a retrofit program may be applied towards meeting the required load reductions provided any necessary baseline reductions are not included.
3. Chesapeake Bay TMDL Action Plan implementation. The operator shall implement the TMDL Action Plan according to the schedule therein. Compliance with this requirement represents adequate progress for this state permit term towards achieving TMDL wasteload allocations consistent with the assumptions and requirements of the TMDL. For the purposes of this permit, the implementation of the following represents implementation to the maximum extent practicable and demonstrates adequate progress:
- a. Implementation of nutrient management plans in accordance with the schedule identified in the minimum control measure in Section II related to pollution prevention/good housekeeping for municipal operations;
 - b. Implementation of the minimum control measure in Section II related to construction site stormwater runoff control in accordance with this state permit shall address discharges from transitional sources;
 - c. Implementation of the means and methods to address discharges from new sources in accordance with the minimum control measure in Section II related to post-construction

stormwater management in new development and development of prior developed lands and in order to offset 5.0% of the total increase in POC loads between July 1, 2009, and June 30, 2014. Increases in the POC load from grandfathered projects initiating construction after July 1, 2014, must be offset prior to completion of the project; and

d. Implementation of means and methods sufficient to meet the required reductions of POC loads from existing sources in accordance with the Chesapeake Bay TMDL Action Plan.

4. Annual reporting requirements.

a. In accordance with Table 1, the operator shall submit the Chesapeake Bay Action Plan with the appropriate annual report.

b. Each subsequent annual report shall include a list of control measures implemented during the reporting period and the cumulative progress toward meeting the compliance targets for nitrogen, phosphorus, and total suspended solids.

c. Each subsequent annual report shall include a list of control measures, in an electronic format provided by the department, that were implemented during the reporting cycle and the estimated reduction achieved by the control. For stormwater management controls, the report shall include the information required in Section II B 5 e and shall include whether an existing stormwater management control was retrofitted, and if so, the existing stormwater management control type retrofit used.

d. Each annual report shall include a list of control measures that are expected to be implemented during the next reporting period and the expected progress toward meeting the compliance targets for nitrogen, phosphorus, and total suspended solids.

5. The operator shall include the following as part of its reapplication package due in accordance with Section III M:

a. Documentation that sufficient control measures have been implemented to meet the compliance target identified in this special condition. If temporary credits or offsets have been purchased in order to meet the compliance target, the list of temporary reductions utilized to meet the required reduction in this state permit and a schedule of implementation to ensure the permanent reduction must be provided; and

b. A draft second phase Chesapeake Bay TMDL Action Plan designed to reduce the existing pollutant load as follows:

(1) The existing pollutant of concern loads by an additional seven times the required reductions in loading rates using the applicable Table 3 for sources included in the 2000 U.S. Census Bureau urbanized areas;

(2) The existing pollutant of concerns loads by an additional eight times the required reductions in loading rates using the applicable Table 3 for expanded sources identified in the U.S. Census Bureau 2010 urbanized areas;

(3) An additional 35% reduction in new sources developed between 2009 and 2014 and for which the land use cover condition was greater than 16%; and

(4) Accounts for any modifications to the applicable loading rate provided to the operator as a result of TMDL modification.

SECTION II

MUNICIPAL SEPARATE STORM SEWER SYSTEM MANAGEMENT PROGRAM

A. The operator of a small MS4 must develop, implement, and enforce a MS4 Program designed to reduce the discharge of pollutants from the small MS4 to the maximum extent practicable (MEP), to protect water quality, to ensure compliance by the operator with water quality standards, and to satisfy the appropriate water quality requirements of the Clean Water Act and its attendant regulations. The MS4 Program must include the minimum control measures described in paragraph B of this section. Implementation of best management practices consistent with the provisions of an iterative MS4 Program required pursuant to this section constitutes compliance with the standard of reducing pollutants to the

"maximum extent practicable," protects water quality in the absence of a TMDL wasteload allocation, ensures compliance by the operator with water quality standards, and satisfies the appropriate water quality requirements of the Clean Water Act and regulations in the absence of a TMDL WLA. The requirements of this section and those special conditions set out in Section I B also apply where a WLA is applicable.

B. Minimum control measures.

NOTE regarding minimum control measures for public education and outreach on stormwater impacts and public involvement/participation: "Public" is not defined in this permit. However, the department concurs with the following EPA statement, which was published in the Federal Register, Volume 64, No. 235, page 68,750 on December 8, 1999, regarding "public" and its applicability to MS4 programs: "EPA acknowledges that federal and state facilities are different from municipalities. EPA believes, however, that the minimum measures are flexible enough that they can be implemented by these facilities. As an example, DOD commentators asked about how to interpret the term "public" for military installations when implementing the public education measure. EPA agrees with the suggested interpretation of "public" for DOD facilities as "the resident and employee population within the fence line of the facility." The department recommends that nontraditional MS4 operators, such as state and federal entities and local school districts, utilize this statement as guidance when determining their applicable "public" for compliance with this permit.

1. Public education and outreach on stormwater impacts.

a. The operator shall continue to implement the public education and outreach program as included in the registration statement until the program is updated to meet the conditions of this state permit. Operators who have not previously held MS4 permit coverage shall implement this program in accordance with the schedule provided with the completed registration statement.

b. The public education and outreach program should be designed with consideration of the following goals:

(1) Increasing target audience knowledge about the steps that can be taken to reduce stormwater pollution, placing priority on reducing impacts to impaired waters and other local water pollution concerns;

(2) Increasing target audience knowledge of hazards associated with illegal discharges and improper disposal of waste, including pertinent legal implications; and

(3) Implementing a diverse program with strategies that are targeted towards audiences most likely to have significant stormwater impacts.

c. The updated program shall be designed to:

(1) Identify, at a minimum, three high-priority water quality issues, that contribute to the discharge of stormwater (e.g., Chesapeake Bay nutrients, pet wastes and local bacteria TMDLs, high-quality receiving waters, and illicit discharges from commercial sites) and a rationale for the selection of the three high-priority water quality issues;

(2) Identify and estimate the population size of the target audience or audiences who is most likely to have significant impacts for each high-priority water quality issue;

(3) Develop relevant message or messages and associated educational and outreach materials (e.g., various media such as printed materials, billboard and mass transit advertisements, signage at select locations, radio advertisements, television advertisements, websites, and social media) for message distribution to the selected target audiences while considering the viewpoints and concerns of the target audiences including minorities, disadvantaged audiences, and minors;

(4) Provide for public participation during public education and outreach program development;

(5) Annually conduct sufficient education and outreach activities designed to reach an equivalent 20% of each high-priority issue target audience. It shall not be considered noncompliance for failure to reach 20% of the target audience. However, it shall be a

- compliance issue if insufficient effort is made to annually reach a minimum of 20% of the target audience; and
- (6) Provide for the adjustment of target audiences and messages including educational materials and delivery mechanisms to reach target audiences in order to address any observed weaknesses or shortcomings.
- d. The operator may coordinate their public education and outreach efforts with other MS4 operators; however, each operator shall be individually responsible for meeting all of its state permit requirements.
 - e. Prior to application for continued state permit coverage required in Section III M, the operator shall evaluate the education and outreach program for:
 - (1) Appropriateness of the high-priority stormwater issues;
 - (2) Appropriateness of the selected target audiences for each high-priority stormwater issue;
 - (3) Effectiveness of the message or messages being delivered; and
 - (4) Effectiveness of the mechanism or mechanisms of delivery employed in reaching the target audiences.
 - f. The MS4 Program Plan shall describe how the conditions of this permit shall be updated in accordance with Table 1.
 - g. The operator shall include the following information in each annual report submitted to the department during this permit term:
 - (1) A list of the education and outreach activities conducted during the reporting period for each high-priority water quality issue, the estimated number of people reached, and an estimated percentage of the target audience or audiences that will be reached; and
 - (2) A list of the education and outreach activities that will be conducted during the next reporting period for each high-priority water quality issue, the estimated number of people that will be reached, and an estimated percentage of the target audience or audiences that will be reached.
2. Public involvement/participation.
- a. Public involvement.
 - (1) The operator shall comply with any applicable federal, state, and local public notice requirements.
 - (2) The operator shall:
 - (a) Maintain an updated MS4 Program Plan. Any required updates to the MS4 Program Plan shall be completed at a minimum of once a year and shall be updated in conjunction with the annual report. The operator shall post copies of each MS4 program plan on its webpage at a minimum of once a year and within 30 days of submittal of the annual report to the department.
 - (b) Post copies of each annual report on the operator's web page within 30 days of submittal to the department and retain copies of annual reports online for the duration of this state permit; and
 - (c) Prior to applying for coverage as required by Section III M, notify the public and provide for receipt of comment of the proposed MS4 Program Plan that will be submitted with the registration statement. As part of the reapplication, the operator shall address how it considered the comments received in the development of its MS4 Program Plan. The operator shall give public notice by a method reasonably calculated to give actual notice of the action in question to the persons potentially affected by it, including press releases or any other forum or medium to solicit public participation.
 - b. Public participation. The operator shall participate, through promotion, sponsorship, or other involvement, in a minimum of four local activities annually (e.g., stream cleanups; hazardous waste cleanup days; and meetings with watershed associations, environmental advisory committees, and other environmental organizations that operate within proximity to the operator's small MS4). The activities shall be aimed at increasing public participation to reduce stormwater

pollutant loads; improve water quality; and support local restoration and clean-up projects, programs, groups, meetings, or other opportunities for public involvement.

c. The MS4 Program Plan shall include written procedures for implementing this program.

d. Each annual report shall include:

(1) A web link to the MS4 Program Plan and annual report; and

(2) Documentation of compliance with the public participation requirements of this section.

3. Illicit discharge detection and elimination.

a. The operator shall maintain an accurate storm sewer system map and information table and shall update it in accordance with the schedule set out in Table 1.

(1) The storm sewer system map must show the following, at a minimum:

(a) The location of all MS4 outfalls. In cases where the outfall is located outside of the MS4 operator's legal responsibility, the operator may elect to map the known point of discharge location closest to the actual outfall. Each mapped outfall must be given a unique identifier, which must be noted on the map; and

(b) The name and location of all waters receiving discharges from the MS4 outfalls and the associated HUC.

(2) The associated information table shall include for each outfall the following:

(a) The unique identifier;

(b) The estimated MS4 acreage served;

(c) The name of the receiving surface water and indication as to whether the receiving water is listed as impaired in the Virginia 2010 303(d)/305(b) Water Quality Assessment Integrated Report; and

(d) The name of any applicable TMDL or TMDLs.

(3) Within 48 months of coverage under this state permit, the operator shall have a complete and updated storm sewer system map and information table that includes all MS4 outfalls located within the boundaries identified as "urbanized" areas in the 2010 Decennial Census and shall submit the updated information table as an appendix to the annual report.

(4) The operator shall maintain a copy of the current storm sewer system map and outfall information table for review upon request by the public or by the department.

(5) The operator shall continue to identify other points of discharge. The operator shall notify in writing the downstream MS4 of any known physical interconnection.

b. The operator shall effectively prohibit, through ordinance or other legal mechanism, nonstormwater discharges into the storm sewer system to the extent allowable under federal, state, or local law, regulation, or ordinance. Categories of nonstormwater discharges or flows (i.e., illicit discharges) identified in 9VAC25-870-400 D 2 c (3) must be addressed only if they are identified by the operator as significant contributors of pollutants to the small MS4. Flows that have been identified in writing by the department as de minimis discharges are not significant sources of pollutants to surface water and do not require a VPDES permit.

c. The operator shall develop, implement, and update, when appropriate, written procedures to detect, identify, and address unauthorized nonstormwater discharges, including illegal dumping, to the small MS4. These procedures shall include:

(1) Written dry weather field screening methodologies to detect and eliminate illicit discharges to the MS4 that include field observations and field screening monitoring and that provide:

(a) A prioritized schedule of field screening activities determined by the operator based on such criteria as age of the infrastructure, land use, historical illegal discharges, dumping or cross connections.

(b) The minimum number of field screening activities the operator shall complete annually to be determined as follows: (i) if the total number of outfalls in the small MS4 is less than 50, all outfalls shall be screened annually or (ii) if the small MS4 has 50 or more total outfalls, a minimum of 50 outfalls shall be screened annually.

(c) Methodologies to collect the general information such as time since the last rain, the quantity of the last rain, site descriptions (e.g., conveyance type and dominant watershed land uses), estimated discharge rate (e.g., width of water surface, approximate depth of water, approximate flow velocity, and flow rate), and visual observations (e.g., order, color, clarity, floatables, deposits or stains, vegetation condition, structural condition, and biology);

(d) A time frame upon which to conduct an investigation or investigations to identify and locate the source of any observed continuous or intermittent nonstormwater discharge prioritized as follows: (i) illicit discharges suspected of being sanitary sewage or significantly contaminated must be investigated first and (ii) investigations of illicit discharges suspected of being less hazardous to human health and safety such as noncontact cooling water or wash water may be delayed until after all suspected sanitary sewage or significantly contaminated discharges have been investigated, eliminated, or identified. Discharges authorized under a separate VPDES or state permit require no further action under this permit.

(e) Methodologies to determine the source of all illicit discharges shall be conducted. If an illicit discharge is found, but within six months of the beginning of the investigation neither the source nor the same nonstormwater discharge has been identified, then the operator shall document such in accordance with Section II B 3 f. If the observed discharge is intermittent, the operator must document that a minimum of three separate investigations were made in an attempt to observe the discharge when it was flowing. If these attempts are unsuccessful, the operator shall document such in accordance with Section II B 3 f.

(f) Mechanisms to eliminate identified sources of illicit discharges including a description of the policies and procedures for when and how to use legal authorities;

(g) Methods for conducting a follow-up investigation in order to verify that the discharge has been eliminated.

(h) A mechanism to track all investigations to document: (i) the date or dates that the illicit discharge was observed and reported; (ii) the results of the investigation; (iii) any follow-up to the investigation; (iv) resolution of the investigation; and (v) the date that the investigation was closed.

d. The operator shall promote, publicize, and facilitate public reporting of illicit discharges into or from MS4s. The operator shall conduct inspections in response to complaints and follow-up inspections as needed to ensure that corrective measures have been implemented by the responsible party.

e. The MS4 Program Plan shall include all procedures developed by the operator to detect, identify, and address nonstormwater discharges to the MS4 in accordance with the schedule in Table 1. In the interim, the operator shall continue to implement the program as included as part of the registration statement until the program is updated to meet the conditions of this permit. Operators, who have not previously held MS4 permit coverage, shall implement this program in accordance with the schedule provided with the completed registration statement.

f. Annual reporting requirements. Each annual report shall include:

(1) A list of any written notifications of physical interconnection given by the operator to other MS4s;

(2) The total number of outfalls screened during the reporting period, the screening results, and detail of any follow-up actions necessitated by the screening results; and

(3) A summary of each investigation conducted by the operator of any suspected illicit discharge. The summary must include: (i) the date that the suspected discharge was observed, reported, or both; (ii) how the investigation was resolved, including any follow-up, and (iii) resolution of the investigation and the date the investigation was closed.

4. Construction site stormwater runoff control.

- a. Applicable oversight requirements. The operator shall utilize its legal authority, such as ordinances, permits, orders, specific contract language, and interjurisdictional agreements, to address discharges entering the MS4 from the following land-disturbing activities:
- (1) Land-disturbing activities as defined in § 62.1-44.15:51 of the Code of Virginia that result in the disturbance of 10,000 square feet or greater;
 - (2) Land-disturbing activities in jurisdictions in Tidewater Virginia, as defined in § 62.1-44.15:68 of the Code of Virginia, that disturb 2,500 square feet or greater and are located in areas designated as Resource Protection Areas (RPA), Resource Management Areas (RMA) or Intensely Developed Acres (IDA), pursuant to the Chesapeake Bay Preservation Area Designation and Management Regulations adopted pursuant to the Chesapeake Bay Preservation Act;
 - (3) Land-disturbing activities disturbing less than the minimum land disturbance identified in subdivision (1) or (2) above for which a local ordinance requires that an erosion and sediment control plan be developed; and
 - (4) Land-disturbing activities on individual residential lots or sections of residential developments being developed by different property owners and where the total land disturbance of the residential development is 10,000 square feet or greater. The operator may utilize an agreement in lieu of a plan as provided in § 62.1-44.15:55 of the Code of Virginia for this category of land disturbances.
- b. Required plan approval prior to commencement of the land disturbing activity. The operator shall require that land disturbance not begin until an erosion and sediment control plan or an agreement in lieu of a plan as provided in § 62.1-44.15:55 is approved by a VESCP authority in accordance with the Erosion and Sediment Control Law (§ 62.1-44.15:51 et seq. of the Code of Virginia). The plan shall be:
- (1) Compliant with the minimum standards identified in 9VAC25-840-40 of the Erosion and Sediment Control Regulations; or
 - (2) Compliant with department-approved annual standards and specifications. Where applicable, the plan shall be consistent with any additional or more stringent, or both, erosion and sediment control requirements established by state regulation or local ordinance.
- c. Compliance and enforcement.
- (1) The operator shall inspect land-disturbing activities for compliance with an approved erosion and sediment control plan or agreement in lieu of a plan in accordance with the minimum standards identified in 9VAC25-840-40 or with department-approved annual standards and specifications.
 - (2) The operator shall implement an inspection schedule for land-disturbing activities identified in Section II B 4 a as follows:
 - (a) Upon initial installation of erosion and sediment controls;
 - (b) At least once during every two-week period;
 - (c) Within 48 hours of any runoff-producing storm event; and
 - (d) Upon completion of the project and prior to the release of any applicable performance bonds.Where an operator establishes an alternative inspection program as provided for in 9VAC25-840-60 B 2, the written schedule shall be implemented in lieu of Section II B 4 c (2) and the written plan shall be included in the MS4 Program Plan.
 - (3) Operator inspections shall be conducted by personnel who hold a certificate of competence in accordance with 9VAC25-850-40. Documentation of certification shall be made available upon request by the VESCP authority or other regulatory agency.
 - (4) The operator shall promote to the public a mechanism for receipt of complaints regarding regulated land-disturbing activities and shall follow up on any complaints regarding potential water quality and compliance issues.

- (5) The operator shall utilize its legal authority to require compliance with the approved plan where an inspection finds that the approved plan is not being properly implemented.
 - (6) The operator shall utilize, as appropriate, its legal authority to require changes to an approved plan when an inspection finds that the approved plan is inadequate to effectively control soil erosion, sediment deposition, and runoff to prevent the unreasonable degradation of properties, stream channels, waters, and other natural resources.
 - (7) The operator shall require implementation of appropriate controls to prevent nonstormwater discharges to the MS4, such as wastewater, concrete washout, fuels and oils, and other illicit discharges identified during land-disturbing activity inspections of the MS4. The discharge of nonstormwater discharges other than those identified in 9VAC25-890-20 through the MS4 is not authorized by this state permit.
 - (8) The operator may develop and implement a progressive compliance and enforcement strategy provided that such strategy is included in the MS4 Program Plan and is consistent with 9VAC25-840.
- d. Regulatory coordination. The operator shall implement enforceable procedures to require that large construction activities as defined in 9VAC25-870-10 and small construction activities as defined in 9VAC25-870-10, including municipal construction activities, secure necessary state permit authorizations from the department to discharge stormwater.
- e. MS4 Program requirements. The operator's MS4 Program Plan shall include:
- (1) A description of the legal authorities utilized to ensure compliance with the minimum control measure in Section II related to construction site stormwater runoff control such as ordinances, permits, orders, specific contract language, and interjurisdictional agreements;
 - (2) Written plan review procedures and all associated documents utilized in plan review;
 - (3) For the MS4 operators who obtain department-approved standards and specifications, a copy of the current standards and specifications;
 - (4) Written inspection procedures and all associated documents utilized during inspection including the inspection schedule;
 - (5) Written procedures for compliance and enforcement, including a progressive compliance and enforcement strategy, where appropriate; and
 - (6) The roles and responsibilities of each of the operator's departments, divisions, or subdivisions in implementing the minimum control measure in Section II related to construction site stormwater runoff control. If the operator utilizes another entity to implement portions of the MS4 Program Plan, a copy of the written agreement must be retained in the MS4 Program Plan. The description of each party's roles and responsibilities, including any written agreements with third parties, shall be updated as necessary.
- Reference may be made to any listed requirements in this subdivision provided the location of where the reference material can be found is included and the reference material is made available to the public upon request.
- f. Reporting requirements. The operator shall track regulated land-disturbing activities and submit the following information in all annual reports:
- (1) Total number of regulated land-disturbing activities;
 - (2) Total number of acres disturbed;
 - (3) Total number of inspections conducted; and
 - (4) A summary of the enforcement actions taken, including the total number and type of enforcement actions taken during the reporting period.
5. Post-construction stormwater management in new development and development on prior developed lands.
- a. Applicable oversight requirements. The operator shall address post-construction stormwater runoff that enters the MS4 from the following land-disturbing activities:
- (1) New development and development on prior developed lands that are defined as large construction activities or small construction activities in 9VAC25-870-10;

- (2) New development and development on prior developed lands that disturb greater than or equal to 2,500 square feet, but less than one acre, located in a Chesapeake Bay Preservation Area designated by a local government located in Tidewater, Virginia, as defined in § 62.1-44.15:68 of the Code of Virginia; and
 - (3) New development and development on prior developed lands where an applicable state regulation or local ordinance has designated a more stringent regulatory size threshold than that identified in subdivision (1) or (2) above.
- b. Required design criteria for stormwater runoff controls. The operator shall utilize legal authority, such as ordinances, permits, orders, specific contract language, and interjurisdictional agreements, to require that activities identified in Section II B 5 a address stormwater runoff in such a manner that stormwater runoff controls are designed and installed:
- (1) In accordance with the appropriate water quality and water quantity design criteria as required in Part II (9VAC25-870-40 et seq.) of 9VAC25-870;
 - (2) In accordance with any additional applicable state or local design criteria required at project initiation; and
 - (3) Where applicable, in accordance with any department-approved annual standards and specifications.

Upon board approval of a Virginia Stormwater Management Program authority (VSMP Authority) as defined in § 62.1-44.15:24 of the Code of Virginia and reissuance of the Virginia Stormwater Management Program (VSMP) General Permit for Discharges of Stormwater from Construction Activities, the operator shall require that stormwater management plans are approved by the appropriate VSMP Authority prior to land disturbance. In accordance with § 62.1-44.15:27 M of the Code of Virginia, VSMPs shall become effective July 1, 2014, unless otherwise specified by state law or by the board.

- c. Inspection, operation, and maintenance verification of stormwater management facilities.
- (1) For stormwater management facilities not owned by the MS4 operator, the following conditions apply:
 - (a) The operator shall require adequate long-term operation and maintenance by the owner of the stormwater management facility by requiring the owner to develop a recorded inspection schedule and maintenance agreement to the extent allowable under state or local law or other legal mechanism;
 - (b) The operator or his designee shall implement a schedule designed to inspect all privately owned stormwater management facilities that discharge into the MS4 at least once every five years to document that maintenance is being conducted in such a manner to ensure long-term operation in accordance with the approved designs.
 - (c) The operator shall utilize its legal authority for enforcement of maintenance responsibilities if maintenance is neglected by the owner. The operator may develop and implement a progressive compliance and enforcement strategy provided that the strategy is included in the MS4 Program Plan.
 - (d) Beginning with the issuance of this state permit, the operator may utilize strategies other than maintenance agreements such as periodic inspections, homeowner outreach and education, and other methods targeted at promoting the long-term maintenance of stormwater control measures that are designed to treat stormwater runoff solely from the individual residential lot. Within 12 months of coverage under this permit, the operator shall develop and implement these alternative strategies and include them in the MS4 Program Plan.
 - (2) For stormwater management facilities owned by the MS4 operator, the following conditions apply:
 - (a) The operator shall provide for adequate long-term operation and maintenance of its stormwater management facilities in accordance with written inspection and maintenance procedures included in the MS4 Program Plan.

(b) The operator shall inspect these stormwater management facilities annually. The operator may choose to implement an alternative schedule to inspect these stormwater management facilities based on facility type and expected maintenance needs provided that the alternative schedule is included in the MS4 Program Plan.

(c) The operator shall conduct maintenance on its stormwater management facilities as necessary.

d. MS4 Program Plan requirements. The operator's MS4 Program Plan shall be updated in accordance with Table 1 to include:

(1) A list of the applicable legal authorities such as ordinance, state and other permits, orders, specific contract language, and interjurisdictional agreements to ensure compliance with the minimum control measure in Section II related to post-construction stormwater management in new development and development on prior developed lands;

(2) Written policies and procedures utilized to ensure that stormwater management facilities are designed and installed in accordance with Section II B 5 b;

(3) Written inspection policies and procedures utilized in conducting inspections;

(4) Written procedures for inspection, compliance and enforcement to ensure maintenance is conducted on private stormwater facilities to ensure long-term operation in accordance with approved design;

(5) Written procedures for inspection and maintenance of operator-owned stormwater management facilities;

(6) The roles and responsibilities of each of the operator's departments, divisions, or subdivisions in implementing the minimum control measure in Section II related to post-construction stormwater management in new development and development on prior developed lands. If the operator utilizes another entity to implement portions of the MS4 Program Plan, a copy of the written agreement must be retained in the MS4 Program Plan. Roles and responsibilities shall be updated as necessary.

e. Stormwater management facility tracking and reporting requirements. The operator shall maintain an updated electronic database of all known operator-owned and privately-owned stormwater management facilities that discharge into the MS4. The database shall include the following:

(1) The stormwater management facility type;

(2) A general description of the facility's location, including the address or latitude and longitude;

(3) The acres treated by the facility, including total acres, as well as the breakdown of pervious and impervious acres;

(4) The date the facility was brought online (MM/YYYY). If the date is not known, the operator shall use June 30, 2005, as the date brought online for all previously existing stormwater management facilities;

(5) The sixth order hydrologic unit code (HUC) in which the stormwater management facility is located;

(6) The name of any impaired water segments within each HUC listed in the 2010 § 305(b)/303(d) Water Quality Assessment Integrated Report to which the stormwater management facility discharges;

(7) Whether the stormwater management facility is operator-owned or privately-owned;

(8) Whether a maintenance agreement exists if the stormwater management facility is privately owned; and

(9) The date of the operator's most recent inspection of the stormwater management facility.

In addition, the operator shall annually track and report the total number of inspections completed and, when applicable, the number of enforcement actions taken to ensure long-term maintenance.

The operator shall submit an electronic database or spreadsheet of all stormwater management facilities brought online during each reporting year with the appropriate annual report. Upon such time as the department provides the operators access to a statewide web-based reporting electronic database or spreadsheet, the operator shall utilize such database to complete the pertinent reporting requirements of this state permit.

6. Pollution prevention/good housekeeping for municipal operations.

a. Operations and maintenance activities. The MS4 Program Plan submitted with the registration statement shall be implemented by the operator until updated in accordance with this state permit. In accordance with Table 1, the operator shall develop and implement written procedures designed to minimize or prevent pollutant discharge from: (i) daily operations such as road, street, and parking lot maintenance; (ii) equipment maintenance; and (iii) the application, storage, transport, and disposal of pesticides, herbicides, and fertilizers. The written procedures shall be utilized as part of the employee training. At a minimum, the written procedures shall be designed to:

- (1) Prevent illicit discharges;
- (2) Ensure the proper disposal of waste materials, including landscape wastes;
- (3) Prevent the discharge of municipal vehicle wash water into the MS4 without authorization under a separate VPDES permit;
- (4) Prevent the discharge of wastewater into the MS4 without authorization under a separate VPDES permit;
- (5) Require implementation of best management practices when discharging water pumped from utility construction and maintenance activities;
- (6) Minimize the pollutants in stormwater runoff from bulk storage areas (e.g., salt storage, topsoil stockpiles) through the use of best management practices;
- (7) Prevent pollutant discharge into the MS4 from leaking municipal automobiles and equipment; and
- (8) Ensure that the application of materials, including fertilizers and pesticides, is conducted in accordance with the manufacturer's recommendations.

b. Municipal facility pollution prevention and good housekeeping.

(1) Within 12 months of state permit coverage, the operator shall identify all municipal high-priority facilities. These high-priority facilities shall include: (i) composting facilities, (ii) equipment storage and maintenance facilities, (iii) materials storage yards, (iv) pesticide storage facilities, (v) public works yards, (vi) recycling facilities, (vii) salt storage facilities, (viii) solid waste handling and transfer facilities, and (ix) vehicle storage and maintenance yards.

(2) Within 12 months of state permit coverage, the operator shall identify which of the municipal high-priority facilities have a high potential of discharging pollutants. Municipal high-priority facilities that have a high potential for discharging pollutants are those facilities identified in subsection (1) above that are not covered under a separate VPDES permit and which any of the following materials or activities occur and are expected to have exposure to stormwater resulting from rain, snow, snowmelt or runoff:

- (a) Areas where residuals from using, storing or cleaning machinery or equipment remain and are exposed to stormwater;
- (b) Materials or residuals on the ground or in stormwater inlets from spills or leaks;
- (c) Material handling equipment (except adequately maintained vehicles);
- (d) Materials or products that would be expected to be mobilized in stormwater runoff during loading/unloading or transporting activities (e.g., rock, salt, fill dirt);
- (e) Materials or products stored outdoors (except final products intended for outside use where exposure to stormwater does not result in the discharge of pollutants);

- (f) Materials or products that would be expected to be mobilized in stormwater runoff contained in open, deteriorated or leaking storage drums, barrels, tanks, and similar containers;
 - (g) Waste material except waste in covered, non-leaking containers (e.g., dumpsters);
 - (h) Application or disposal of process wastewater (unless otherwise permitted); or
 - (i) Particulate matter or visible deposits of residuals from roof stacks, vents or both not otherwise regulated (i.e., under an air quality control permit) and evident in the stormwater runoff.
- (3) The operator shall develop and implement specific stormwater pollution prevention plans for all high-priority facilities identified in subdivision 2 of this subsection. The operator shall complete SWPPP development and implementation shall be completed within 48 months of coverage under this state permit. Facilities covered under a separate VDPEs permit shall adhere to the conditions established in that permit and are excluded from this requirement.
- (4) Each SWPPP shall include:
- (a) A site description that includes a site map identifying all outfalls, direction of flows, existing source controls, and receiving water bodies;
 - (b) A discussion and checklist of potential pollutants and pollutant sources;
 - (c) A discussion of all potential nonstormwater discharges;
 - (d) Written procedures designed to reduce and prevent pollutant discharge;
 - (e) A description of the applicable training as required in Section II B 6 d;
 - (f) Procedures to conduct an annual comprehensive site compliance evaluation;
 - (g) An inspection and maintenance schedule for site specific source controls. The date of each inspection and associated findings and follow-up shall be logged in each SWPPP;
 - (h) The contents of each SWPPP shall be evaluated and modified as necessary to accurately reflect any discharge, release, or spill from the high priority facility reported in accordance with Section III G. For each such discharge, release, or spill, the SWPPP must include the following information: date of incident; material discharged, released, or spilled; and quantity discharged, released or spilled; and
 - (i) A copy of each SWPPP shall be kept at each facility and shall be kept updated and utilized as part of staff training required in Section II B 6 d.
- c. Turf and landscape management.
- (1) The operator shall implement turf and landscape nutrient management plans that have been developed by a certified turf and landscape nutrient management planner in accordance with § 10.1-104.2 of the Code of Virginia on all lands owned or operated by the MS4 operator where nutrients are applied to a contiguous area greater than one acre. Implementation shall be in accordance with the following schedule:
- (a) Within 12 months of state permit coverage, the operator shall identify all applicable lands where nutrients are applied to a contiguous area of more than one acre. A latitude and longitude shall be provided for each such piece of land and reported in the annual report.
 - (b) Within 60 months of state permit coverage, the operator shall implement turf and landscape nutrient management plans on all lands where nutrients are applied to a contiguous area of more than one acre. The following measurable outcomes are established for the implementation of turf and landscape nutrient management plans: (i) within 24 months of permit coverage, not less than 15% of all identified acres will be covered by turf and landscape nutrient management plans; (ii) within 36 months of permit coverage, not less than 40% of all identified acres will be covered by turf and landscape nutrient management plans; and (iii) within 48 months of permit coverage, not less than 75% of all identified acres will be covered by turf and landscape nutrient management plans. The operator shall not fail to meet the measurable goals for two consecutive years.

- (c) MS4 operators with lands regulated under § 10.1-104.4 of the Code of Virginia shall continue to implement turf and landscape nutrient management plans in accordance with this statutory requirement.
- (2) Operators shall annually track the following:
 - (a) The total acreage of lands where turf and landscape nutrient management plans are required; and
 - (b) The acreage of lands upon which turf and landscape nutrient management plans have been implemented.
- (3) The operator shall not apply any deicing agent containing urea or other forms of nitrogen or phosphorus to parking lots, roadways, and sidewalks, or other paved surfaces.
- d. Training. The operator shall conduct training for employees. The training requirements may be fulfilled, in total or in part, through regional training programs involving two or more MS4 localities provided; however, that each operator shall remain individually liable for its failure to comply with the training requirements in this permit. Training is not required if the topic is not applicable to the operator's operations and therefore does not have applicable personnel provided the lack of applicability is documented in the MS4 Program Plan. The operator shall determine and document the applicable employees or positions to receive each type of training. The operator shall develop an annual written training plan including a schedule of training events that ensures implementation of the training requirements as follows:
 - (1) The operator shall provide biennial training to applicable field personnel in the recognition and reporting of illicit discharges.
 - (2) The operator shall provide biennial training to applicable employees in good housekeeping and pollution prevention practices that are to be employed during road, street, and parking lot maintenance.
 - (3) The operator shall provide biennial training to applicable employees in good housekeeping and pollution prevention practices that are to be employed in and around maintenance and public works facilities.
 - (4) The operator shall ensure that employees, and require that contractors, who apply pesticides and herbicides are properly trained or certified in accordance with the Virginia Pesticide Control Act (§ 3.2-3900 et seq. of the Code of Virginia).
 - (5) The operator shall ensure that employees and contractors serving as plan reviewers, inspectors, program administrators, and construction site operators obtain the appropriate certifications as required under the Virginia Erosion and Sediment Control Law and its attendant regulations.
 - (6) The operator shall ensure that applicable employees obtain the appropriate certifications as required under the Virginia Erosion and Sediment Control Law and its attendant regulations.
 - (7) The operators shall provide biennial training to applicable employees in good housekeeping and pollution prevention practices that are to be employed in and around recreational facilities.
 - (8) The appropriate emergency response employees shall have training in spill responses. A summary of the training or certification program provided to emergency response employees shall be included in the first annual report.
 - (9) The operator shall keep documentation on each training event including the training date, the number of employees attending the training, and the objective of the training event for a period of three years after each training event.
- e. The operator shall require that municipal contractors use appropriate control measures and procedures for stormwater discharges to the MS4 system. Oversight procedures shall be described in the MS4 Program Plan.
- f. At a minimum, the MS4 Program Plan shall contain:

- (1) The written protocols being used to satisfy the daily operations and maintenance requirements;
 - (2) A list of all municipal high-priority facilities that identifies those facilities that have a high potential for chemicals or other materials to be discharged in stormwater and a schedule that identifies the year in which an individual SWPPP will be developed for those facilities required to have a SWPPP. Upon completion of a SWPPP, the SWPPP shall be part of the MS4 Program Plan. The MS4 Program Plan shall include the location in which the individual SWPPP is located;
 - (3) A list of lands where nutrients are applied to a contiguous area of more than one acre. Upon completion of a turf and landscape nutrient management plan, the turf and landscape nutrient management plan shall be part of the MS4 Program Plan. The MS4 Program Plan shall include the location in which the individual turf and landscape nutrient management plan is located; and
 - (4) The annual written training plan for the next reporting cycle.
- g. Annual reporting requirements.
- (1) A summary report on the development and implementation of the daily operational procedures;
 - (2) A summary report on the development and implementation of the required SWPPPs;
 - (3) A summary report on the development and implementation of the turf and landscape nutrient management plans that includes:
 - (a) The total acreage of lands where turf and landscape nutrient management plans are required; and
 - (b) The acreage of lands upon which turf and landscape nutrient management plans have been implemented; and
 - (4) A summary report on the required training, including a list of training events, the training date, the number of employees attending training and the objective of the training.

C. If an existing program requires the implementation of one or more of the minimum control measures of Section II B, the operator, with the approval of the board, may follow that program's requirements rather than the requirements of Section II B. A program that may be considered includes, but is not limited to, a local, state or tribal program that imposes, at a minimum, the relevant requirements of Section II B.

The operator's MS4 Program Plan shall identify and fully describe any program that will be used to satisfy one or more of the minimum control measures of Section II B.

If the program the operator is using requires the approval of a third party, the program must be fully approved by the third party, or the operator must be working towards getting full approval. Documentation of the program's approval status, or the progress towards achieving full approval, must be included in the annual report required by Section II E 3. The operator remains responsible for compliance with the permit requirements if the other entity fails to implement the control measures (or component thereof.)

D. The operator may rely on another entity to satisfy the state permit requirements to implement a minimum control measure if: (i) the other entity, in fact, implements the control measure; (ii) the particular control measure, or component thereof, is at least as stringent as the corresponding state permit requirement; and (iii) the other entity agrees to implement the control measure on behalf of the operator. The agreement between the parties must be documented in writing and retained by the operator with the MS4 Program Plan for the duration of this state permit.

In the annual reports that must be submitted under Section II E 3, the operator must specify that another entity is being relied on to satisfy some of the state permit requirements.

If the operator is relying on another governmental entity regulated under 9VAC25-870-380 to satisfy all of the state permit obligations, including the obligation to file periodic reports required by Section II E 3, the operator must note that fact in the registration statement, but is not required to file the periodic reports.

The operator remains responsible for compliance with the state permit requirements if the other entity fails to implement the control measure (or component thereof).

E. Evaluation and assessment.

1. MS4 Program Evaluation. The operator must annually evaluate:

- a. Program compliance;
- b. The appropriateness of the identified BMPs (as part of this evaluation, the operator shall evaluate the effectiveness of BMPs in addressing discharges into waters that are identified as impaired in the 2010 § 305(b)/303(d) Water Quality Assessment Integrated Report); and
- c. Progress towards achieving the identified measurable goals.

2. Recordkeeping. The operator must keep records required by the state permit for at least three years. These records must be submitted to the department only upon specific request. The operator must make the records, including a description of the stormwater management program, available to the public at reasonable times during regular business hours.

3. Annual reports. The operator must submit an annual report for the reporting period of July 1 through June 30 to the department by the following October 1 of that year. The reports shall include:

a. Background Information.

- (1) The name and state permit number of the program submitting the annual report;
- (2) The annual report permit year;
- (3) Modifications to any operator's department's roles and responsibilities;
- (4) Number of new MS4 outfalls and associated acreage by HUC added during the permit year; and
- (5) Signed certification.

b. The status of compliance with state permit conditions, an assessment of the appropriateness of the identified best management practices and progress towards achieving the identified measurable goals for each of the minimum control measures;

c. Results of information collected and analyzed, including monitoring data, if any, during the reporting period;

d. A summary of the stormwater activities the operator plans to undertake during the next reporting cycle;

e. A change in any identified best management practices or measurable goals for any of the minimum control measures including steps to be taken to address any deficiencies;

f. Notice that the operator is relying on another government entity to satisfy some of the state permit obligations (if applicable);

g. The approval status of any programs pursuant to Section II C (if appropriate), or the progress towards achieving full approval of these programs; and

h. Information required for any applicable TMDL special condition contained in Section I.

F. Program Plan modifications.

1. Program modifications requested by the operator. Modifications to the MS4 Program are expected throughout the life of this state permit as part of the iterative process to reduce the pollutant loadings and to protect water quality. As such, modifications made in accordance with this state permit as a result of the iterative process do not require modification of this permit unless the department determines that the changes meet the criteria referenced in 9VAC25-870-630 or 9VAC25-870-650. Updates and modifications to the MS4 Program may be made during the life of this state permit in accordance with the following procedures:

a. Adding (but not eliminating or replacing) components, controls, or requirements to the MS4 Program may be made by the operator at any time. Additions shall be reported as part of the annual report.

b. Updates and modifications to specific standards and specifications, schedules, operating procedures, ordinances, manuals, checklists, and other documents routinely evaluated and modified are permitted under this state permit provided that the updates and modifications are done in a manner that (i) is consistent with the conditions of this state permit, (ii) follow any

public notice and participation requirements established in this state permit, and (iii) are documented in the annual report.

c. Replacing, or eliminating without replacement, any ineffective or infeasible strategies, policies, and BMPs specifically identified in this permit with alternate strategies, policies, and BMPs may be requested at any time. Such requests must be made in writing to the department and signed in accordance with 9VAC25-870-370, and include the following:

- (1) An analysis of how or why the BMPs, strategies, or policies are ineffective or infeasible, including information on whether the BMPs, strategies, or policies are cost prohibitive;
- (2) Expectations regarding the effectiveness of the replacement BMPs, strategies, or policies;
- (3) An analysis of how the replacement BMPs are expected to achieve the goals of the BMP's to be replaced;
- (4) A schedule for implementing the replacement BMPs, strategies, and policies; and
- (5) An analysis of how the replacement strategies and policies are expected to improve the operator's ability to meet the goals of the strategies and policies being replaced.

d. The operator follows the public involvement requirements identified in Section II B 2 (a).

2. MS4 Program updates requested by the department. In a manner and following procedures in accordance with the Virginia Administrative Process Act, the Virginia Stormwater Management regulations, and other applicable state law and regulations, the department may request changes to the MS4 Program to assure compliance with the statutory requirements of the Virginia Stormwater Management Act and its attendant regulations to:

- a. Address impacts on receiving water quality caused by discharges from the MS4;
- b. Include more stringent requirements necessary to comply with new state or federal laws or regulations; or
- c. Include such other conditions necessary to comply with state or federal law or regulation.

Proposed changes requested by the department shall be made in writing and set forth the basis for and objective of the modification as well as the proposed time schedule for the operator to develop and implement the modification. The operator may propose alternative program modifications or time schedules to meet the objective of the requested modification, but any such modifications are at the discretion of the department.

SECTION III CONDITIONS APPLICABLE TO ALL STATE PERMITS

A. Monitoring.

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
2. Monitoring shall be conducted according to procedures approved under 40 CFR Part 136 or alternative methods approved by the U.S. Environmental Protection Agency, unless other procedures have been specified in this state permit.
3. The operator shall periodically calibrate and perform maintenance procedures on all monitoring and analytical instrumentation at intervals that will insure accuracy of measurements.

B. Records.

1. Monitoring records/reports shall include:
 - a. The date, exact place, and time of sampling or measurements;
 - b. The individual(s) who performed the sampling or measurements;
 - c. The date(s) and time(s) analyses were performed;
 - d. The individual(s) who performed the analyses;
 - e. The analytical techniques or methods used; and
 - f. The results of such analyses.
2. The operator shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation,

copies of all reports required by this state permit, and records of all data used to complete the registration statement for this state permit, for a period of at least three years from the date of the sample, measurement, report or request for coverage. This period of retention shall be extended automatically during the course of any unresolved litigation regarding the regulated activity or regarding control standards applicable to the operator, or as requested by the board.

C. Reporting monitoring results.

1. The operator shall submit the results of the monitoring required by this state permit with the annual report unless another reporting schedule is specified elsewhere in this state permit.
2. Monitoring results shall be reported on a Discharge Monitoring Report (DMR); on forms provided, approved or specified by the department; or in any format provided the date, location, parameter, method, and result of the monitoring activity are included.
3. If the operator monitors any pollutant specifically addressed by this state permit more frequently than required by this state permit using test procedures approved under 40 CFR Part 136 or using other test procedures approved by the U.S. Environmental Protection Agency or using procedures specified in this state permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR or reporting form specified by the department.
4. Calculations for all limitations that require averaging of measurements shall utilize an arithmetic mean unless otherwise specified in this state permit.

D. Duty to provide information. The operator shall furnish to the department, within a reasonable time, any information that the board may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this state permit or to determine compliance with this state permit. The board may require the operator to furnish, upon request, such plans, specifications, and other pertinent information as may be necessary to determine the effect of the wastes from his discharge on the quality of surface waters, or such other information as may be necessary to accomplish the purposes of the CWA and Virginia Stormwater Management Act. The operator shall also furnish to the department upon request, copies of records required to be kept by this permit.

E. Compliance schedule reports. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this state permit shall be submitted no later than 14 days following each schedule date.

F. Unauthorized stormwater discharges. Pursuant to § 62.1-44.15:26 of the Code of Virginia, except in compliance with a state permit issued by the board, it shall be unlawful to cause a stormwater discharge from a MS4.

G. Reports of unauthorized discharges. Any operator of a small MS4 who discharges or causes or allows a discharge of sewage, industrial waste, other wastes or any noxious or deleterious substance or a hazardous substance or oil in an amount equal to or in excess of a reportable quantity established under either 40 CFR Part 110, 40 CFR Part 117 or 40 CFR Part 302 that occurs during a 24-hour period into or upon surface waters; or who discharges or causes or allows a discharge that may reasonably be expected to enter surface waters, shall notify the department of the discharge immediately upon discovery of the discharge, but in no case later than within 24 hours after said discovery. A written report of the unauthorized discharge shall be submitted to the department within five days of discovery of the discharge. The written report shall contain:

1. A description of the nature and location of the discharge;
2. The cause of the discharge;
3. The date on which the discharge occurred;
4. The length of time that the discharge continued;
5. The volume of the discharge;
6. If the discharge is continuing, how long it is expected to continue;
7. If the discharge is continuing, what the expected total volume of the discharge will be; and
8. Any steps planned or taken to reduce, eliminate and prevent a recurrence of the present discharge or any future discharges not authorized by this state permit.

Discharges reportable to the department under the immediate reporting requirements of other regulations are exempted from this requirement.

H. Reports of unusual or extraordinary discharges. If any unusual or extraordinary discharge including a "bypass" or "upset," as defined herein, should occur from a facility and the discharge enters or could be expected to enter surface waters, the operator shall promptly notify, in no case later than within 24 hours, the department by telephone after the discovery of the discharge. This notification shall provide all available details of the incident, including any adverse effects on aquatic life and the known number of fish killed. The operator shall reduce the report to writing and shall submit it to the department within five days of discovery of the discharge in accordance with Section III I 2. Unusual and extraordinary discharges include but are not limited to any discharge resulting from:

1. Unusual spillage of materials resulting directly or indirectly from processing operations;
2. Breakdown of processing or accessory equipment;
3. Failure or taking out of service some or all of the facilities; and
4. Flooding or other acts of nature.

I. Reports of noncompliance. The operator shall report any noncompliance which may adversely affect surface waters or may endanger public health.

1. An oral report shall be provided within 24 hours to the department from the time the operator becomes aware of the circumstances. The following shall be included as information which shall be reported within 24 hours under this paragraph:

- a. Any unanticipated bypass; and
- b. Any upset which causes a discharge to surface waters.

2. A written report shall be submitted within five days and shall contain:

- a. A description of the noncompliance and its cause;
- b. The period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and
- c. Steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

The board or its designee may waive the written report on a case-by-case basis for reports of noncompliance under Section III I if the oral report has been received within 24 hours and no adverse impact on surface waters has been reported.

3. The operator shall report all instances of noncompliance not reported under Sections III I 1 or 2, in writing, at the time the next monitoring reports are submitted. The reports shall contain the information listed in Section III I 2.

NOTE: The immediate (within 24 hours) reports required to be provided to the department in Sections III G, H and I may be made to the appropriate Regional Office Pollution Response Program as found at <http://deq.virginia.gov/Programs/PollutionResponsePreparedness.aspx>. Reports may be made by telephone or by fax. For reports outside normal working hours, leave a message and this shall fulfill the immediate reporting requirement. For emergencies, the Virginia Department of Emergency Services maintains a 24-hour telephone service at 1-800-468-8892.

4. Where the operator becomes aware of a failure to submit any relevant facts, or submittal of incorrect information in any report to the department, it shall promptly submit such facts or correct information.

J. Notice of planned changes.

1. The operator shall give notice to the department as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:

a. The operator plans an alteration or addition to any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced:

- (1) After promulgation of standards of performance under § 306 of the Clean Water Act that are applicable to such source; or
- (2) After proposal of standards of performance in accordance with § 306 of the Clean Water Act that are applicable to such source, but only if the standards are promulgated in accordance with § 306 within 120 days of their proposal;

- b. The operator plans alteration or addition that would significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants that are not subject to effluent limitations in this state permit; or
2. The operator shall give advance notice to the department of any planned changes in the permitted facility or activity; which may result in noncompliance with state permit requirements.

K. Signatory requirements.

1. Registration statement. All registration statements shall be signed as follows:
 - a. For a corporation: by a responsible corporate officer. For the purpose of this subsection, a responsible corporate officer means: (i) A president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy-making or decision-making functions for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for state permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;
 - b. For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or
 - c. For a municipality, state, federal, or other public agency: By either a principal executive officer or ranking elected official. For purposes of this subsection, a principal executive officer of a public agency includes:
 - (1) The chief executive officer of the agency, or
 - (2) A senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency.
2. Reports, etc. All reports required by state permits, and other information requested by the board shall be signed by a person described in Section III K 1, or by a duly authorized representative of that person. A person is a duly authorized representative only if:
 - a. The authorization is made in writing by a person described in Section III K 1;
 - b. The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the operator. (A duly authorized representative may thus be either a named individual or any individual occupying a named position.); and
 - c. The written authorization is submitted to the department.
3. Changes to authorization. If an authorization under Section III K 2 is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of Section III K 2 shall be submitted to the department prior to or together with any reports, or information to be signed by an authorized representative.
4. Certification. Any person signing a document under Sections III K 1 or 2 shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

L. Duty to comply. The operator shall comply with all conditions of this state permit. Any state permit noncompliance constitutes a violation of the Virginia Stormwater Management Act and the Clean Water Act, except that noncompliance with certain provisions of this state permit may constitute a violation of the Virginia Stormwater Management Act but not the Clean Water Act. State permit noncompliance is grounds for enforcement action; for state permit termination, revocation and reissuance, or modification; or denial of a state permit renewal application.

The operator shall comply with effluent standards or prohibitions established under § 307(a) of the Clean Water Act for toxic pollutants within the time provided in the regulations that establish these standards or prohibitions or standards for sewage sludge use or disposal, even if this state permit has not yet been modified to incorporate the requirement.

M. Duty to reapply. If the operator wishes to continue an activity regulated by this state permit after the expiration date of this state permit, the operator shall submit a new registration statement at least 90 days before the expiration date of the existing state permit, unless permission for a later date has been granted by the board. The board shall not grant permission for registration statements to be submitted later than the expiration date of the existing state permit.

N. Effect of a state permit. This state permit does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorize any injury to private property or invasion of personal rights, or any infringement of federal, state or local law or regulations.

O. State law. Nothing in this state permit shall be construed to preclude the institution of any legal action under, or relieve the operator from any responsibilities, liabilities, or penalties established pursuant to any other state law or regulation or under authority preserved by § 510 of the Clean Water Act. Except as provided in state permit conditions on "bypassing" (Section III U), and "upset" (Section III V) nothing in this state permit shall be construed to relieve the operator from civil and criminal penalties for noncompliance.

P. Oil and hazardous substance liability. Nothing in this state permit shall be construed to preclude the institution of any legal action or relieve the operator from any responsibilities, liabilities, or penalties to which the operator is or may be subject under §§ 62.1-44.34:14 through 62.1-44.34:23 of the State Water Control Law or § 311 of the Clean Water Act.

Q. Proper operation and maintenance. The operator shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances), which are installed or used by the operator to achieve compliance with the conditions of this state permit. Proper operation and maintenance also includes effective plant performance, adequate funding, adequate staffing, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems, which are installed by the operator only when the operation is necessary to achieve compliance with the conditions of this state permit.

R. Disposal of solids or sludges. Solids, sludges or other pollutants removed in the course of treatment or management of pollutants shall be disposed of in a manner so as to prevent any pollutant from such materials from entering surface waters.

S. Duty to mitigate. The operator shall take all reasonable steps to minimize or prevent any discharge in violation of this state permit that has a reasonable likelihood of adversely affecting human health or the environment.

T. Need to halt or reduce activity not a defense. It shall not be a defense for an operator in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this state permit.

U. Bypass.

1. "Bypass," as defined in 9VAC25-870-10, means the intentional diversion of waste streams from any portion of a treatment facility. The operator may allow any bypass to occur that does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of Sections III U 2 and U 3.

2. Notice.

- a. Anticipated bypass. If the operator knows in advance of the need for a bypass, prior notice shall be submitted, if possible at least 10 days before the date of the bypass.
 - b. Unanticipated bypass. The operator shall submit notice of an unanticipated bypass as required in Section III I.
3. Prohibition of bypass.
- a. Bypass is prohibited, and the board or its designee may take enforcement action against an operator for bypass, unless:
 - (1) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (2) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass that occurred during normal periods of equipment downtime or preventive maintenance; and
 - (3) The operator submitted notices as required under Section III U 2.
 - b. The board or its designee may approve an anticipated bypass, after considering its adverse effects, if the board or its designee determines that it will meet the three conditions listed above in Section III U 3 a.

V. Upset.

1. An "upset", as defined in 9VAC25-870-10, constitutes an affirmative defense to an action brought for noncompliance with technology based state permit effluent limitations if the requirements of Section III V 2 are met. A determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is not a final administrative action subject to judicial review.
2. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.
3. An operator who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - a. An upset occurred and that the operator can identify the cause(s) of the upset;
 - b. The permitted facility was at the time being properly operated;
 - c. The operator submitted notice of the upset as required in Section III I; and
 - d. The operator complied with any remedial measures required under Section III S.
4. In any enforcement proceeding the operator seeking to establish the occurrence of an upset has the burden of proof.

W. Inspection and entry. The operator shall allow the department as the board's designee, or an authorized representative (including an authorized contractor acting as a representative of the administrator), upon presentation of credentials and other documents as may be required by law, to:

1. Enter upon the operator's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this state permit;
2. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this state permit;
3. Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this state permit; and
4. Sample or monitor at reasonable times, for the purposes of assuring state permit compliance or as otherwise authorized by the Clean Water Act and the Virginia Stormwater Management Act, any substances or parameters at any location.

For purposes of this subsection, the time for inspection shall be deemed reasonable during regular business hours, and whenever the facility is discharging. Nothing contained herein shall make an inspection unreasonable during an emergency.

X. State permit actions. State permits may be modified, revoked and reissued, or terminated for cause. The filing of a request by the operator for a state permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any state permit condition.

Y. Transfer of state permits.

1. State permits are not transferable to any person except after notice to the department. Except as provided in Section III Y 2, a state permit may be transferred by the operator to a new operator only if the state permit has been modified or revoked and reissued, or a minor modification made, to identify the new operator and incorporate such other requirements as may be necessary under the Virginia Stormwater Management Act and the Clean Water Act.

2. As an alternative to transfers under Section III Y 1, this state permit may be automatically transferred to a new operator if:

a. The current operator notifies the department at least two days in advance of the proposed transfer of the title to the facility or property;

b. The notice includes a written agreement between the existing and new operators containing a specific date for transfer of state permit responsibility, coverage, and liability between them; and

c. The board does not notify the existing operator and the proposed new operator of its intent to modify or revoke and reissue the state permit. If this notice is not received, the transfer is effective on the date specified in the agreement mentioned in Section III Y 2 b.

Z. Severability. The provisions of this state permit are severable, and if any provision of this state permit or the application of any provision of this state permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this state permit, shall not be affected thereby.

9VAC25-890-50. Delegation of authority.

The director, or his designee, may perform any act of the board provided under this chapter, except as limited by § 62.1-44.14 of the Code of Virginia.

FORMS (9VAC25-890)

[Application Form 1 - General Information, Consolidated Permits Program, EPA Form 3510-1 \(August 1990\)](#)